



Miyoshi myopathy

Miyoshi myopathy is a muscle disorder that begins with weakness in the muscles that are located away from the center of the body (distal muscles), such as those in the legs. During early to mid-adulthood, affected individuals typically begin to experience muscle weakness and wasting (atrophy) in one or both calves. If only one leg is affected, the calves appear different in size (asymmetrical). Calf weakness can make it difficult to stand on tiptoe.

As Miyoshi myopathy slowly worsens, the muscle weakness and atrophy spread up the leg to the muscles in the thigh and buttock and can also involve the upper arm and shoulder muscles. Eventually, affected individuals may have difficulty climbing stairs or walking for an extended period of time. Some people with Miyoshi myopathy may eventually need wheelchair assistance.

Rarely, abnormal heart rhythms (arrhythmias) have developed in people with Miyoshi myopathy. Individuals with Miyoshi myopathy have highly elevated levels of an enzyme called creatine kinase (CK) in their blood, which often indicates muscle disease.

Frequency

The exact prevalence of Miyoshi myopathy is unknown. In Japan, where the condition was first described, it is estimated to affect 1 in 440,000 individuals.

Genetic Changes

Miyoshi myopathy is caused by mutations in the *DYSF* or *ANO5* gene. When Miyoshi myopathy is caused by *ANO5* gene mutations it is sometimes referred to as distal anoctaminopathy; when this condition is caused by *DYSF* gene mutations it is known as a dysferlinopathy. The *DYSF* and *ANO5* genes provide instructions for making proteins primarily found in muscles that are used for movement (skeletal muscles). The protein produced from the *DYSF* gene, called dysferlin, is found in the thin membrane called the sarcolemma that surrounds muscle fibers. Dysferlin is thought to aid in repairing the sarcolemma when it becomes damaged or torn due to muscle strain.

The *ANO5* gene provides instructions for making a protein called anoctamin-5. This protein is located within the membrane of a cell structure called the endoplasmic reticulum, which is involved in protein production, processing, and transport.

Anoctamin-5 is thought to act as a channel, allowing charged chlorine atoms (chloride ions) to flow in and out of the endoplasmic reticulum. The regulation of chloride flow within muscle cells plays a role in controlling muscle tensing (contraction) and relaxation.

DYSF or *ANO5* gene mutations often result in a decrease or elimination of the corresponding protein. A lack of dysferlin leads to a reduced ability to repair damage done to the sarcolemma of muscle fibers. As a result, damage accumulates and leads to atrophy of the muscle fiber. It is unclear why this damage leads to the specific pattern of weakness and atrophy that is characteristic of Miyoshi myopathy. The effects of the loss of anoctamin-5 are also unclear. While chloride is necessary for normal muscle function, it is unknown how a lack of this chloride channel causes the signs and symptoms of Miyoshi myopathy.

Inheritance Pattern

This condition is inherited in an autosomal recessive pattern, which means both copies of the gene in each cell have mutations. The parents of an individual with an autosomal recessive condition each carry one copy of the mutated gene, but they typically do not show signs and symptoms of the condition.

This condition occurs with equal frequency in males and females.

Other Names for This Condition

- distal muscular dystrophy, Miyoshi type
- Miyoshi distal myopathy
- Miyoshi muscular dystrophy
- MMD

Diagnosis & Management

Genetic Testing

- Genetic Testing Registry: Miyoshi muscular dystrophy 1
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C1850808/>
- Genetic Testing Registry: Miyoshi muscular dystrophy 3
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C2750076/>

Other Diagnosis and Management Resources

- GeneReview: ANO5-Related Muscle Diseases
<https://www.ncbi.nlm.nih.gov/books/NBK114459>
- GeneReview: Dysferlinopathy
<https://www.ncbi.nlm.nih.gov/books/NBK1303>
- Jain Foundation: Learning Center
<http://www.jain-foundation.org/patient-physician-resources/learning-center>
- Jain Foundation: Patient Registration
<http://www.jain-foundation.org/patient-physician-resources/patient-registration>

General Information from MedlinePlus

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Muscle Atrophy
<https://medlineplus.gov/ency/article/003188.htm>
- Health Topic: Muscle Disorders
<https://medlineplus.gov/muscledisorders.html>

Genetic and Rare Diseases Information Center

- Miyoshi myopathy
<https://rarediseases.info.nih.gov/diseases/9676/miyoshi-myopathy>

Additional NIH Resources

- National Institute of Neurological Disorders and Stroke: Myopathy Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Myopathy-Information-Page>

Educational Resources

- Centers for Disease Control and Prevention: Muscular Dystrophy
<https://www.cdc.gov/ncbddd/musculardystrophy/>
- Cincinnati Children's Hospital: Molkentin Lab: Mechanisms of Duchenne and Miyoshi Myopathy
<https://www.cincinnatichildrens.org/research/divisions/m/mcb/labs/molKentin/myopathy>
- Disease InfoSearch: Miyoshi myopathy
<http://www.diseaseinfosearch.org/Miyoshi+myopathy/4842>

- Jain Foundation: FAQ: LGMD2B/Miyoshi/Dysferlinopathy
<http://www.jain-foundation.org/patient-physician-resources/learning-center/faq-lgmd2bmiyoshidysferlinopathy>
- MalaCards: miyoshi muscular dystrophy 1
http://www.malacards.org/card/miyoshi_muscular_dystrophy_1
- Orphanet: Miyoshi myopathy
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=45448
- Washington University, St. Louis: Neuromuscular Disease Center
<http://neuromuscular.wustl.edu/musdist/distal.html#miyoshi>

Patient Support and Advocacy Resources

- American Heart Association: What is Arrhythmia?
http://www.heart.org/HEARTORG/Conditions/Arrhythmia/Arrhythmia_UCM_002013_SubHomePage.jsp
- Muscular Dystrophy Association: Types of Distal MD
<https://www.mda.org/disease/distal-muscular-dystrophy/types>
- Muscular Dystrophy Canada
<http://muscle.ca/>
- Muscular Dystrophy UK
<http://www.musculardystrophyuk.org/>
- Resource List from the University of Kansas Medical Center: Muscular Dystrophy/Atrophy
<http://www.kumc.edu/gec/support/muscular.html>

GeneReviews

- ANO5-Related Muscle Diseases
<https://www.ncbi.nlm.nih.gov/books/NBK114459>
- Dysferlinopathy
<https://www.ncbi.nlm.nih.gov/books/NBK1303>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22Miyoshi+myopathy%22+OR+%22Miyoshi+muscular+dystrophy%22+OR+%22anoctaminopathy%22+OR+%22dysferlinopathy%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28%28miyoshi+myopathy%5BTIAB%5D%29+OR+%28miyoshi+type+distal+muscular+dystrophy%5BTIAB%5D%29+OR+%28miyoshi+distal+myopathy%5BTIAB%5D%29+OR+%28miyoshi+muscular+dystrophy%5BTIAB%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D>

OMIM

- MIYOSHI MUSCULAR DYSTROPHY 1
<http://omim.org/entry/254130>
- MIYOSHI MUSCULAR DYSTROPHY 3
<http://omim.org/entry/613319>

Sources for This Summary

- Cho HJ, Sung DH, Kim EJ, Yoon CH, Ki CS, Kim JW. Clinical and genetic analysis of Korean patients with Miyoshi myopathy: identification of three novel mutations in the DYSF gene. J Korean Med Sci. 2006 Aug;21(4):724-7.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16891820>
Free article on PubMed Central: <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2729898/>
- Liewluck T, Winder TL, Dimberg EL, Crum BA, Heppelmann CJ, Wang Y, Bergen HR 3rd, Milone M. ANO5-muscular dystrophy: clinical, pathological and molecular findings. Eur J Neurol. 2013 Oct; 20(10):1383-9. doi: 10.1111/ene.12191. Epub 2013 May 12.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23663589>
- Linssen WH, de Voogt WG, Krahn M, Bernard R, Levy N, Wokke JH, Ginjaar HB, de Visser M. Long-term follow-up study on patients with Miyoshi phenotype of distal muscular dystrophy. Eur J Neurol. 2013 Jun;20(6):968-74. doi: 10.1111/ene.12129. Epub 2013 Mar 26.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23530687>
- Nguyen K, Bassez G, Bernard R, Krahn M, Labelle V, Figarella-Branger D, Pouget J, Hammouda el H, Bérout C, Urtizberea A, Eymard B, Leturcq F, Lévy N. Dysferlin mutations in LGMD2B, Miyoshi myopathy, and atypical dysferlinopathies. Hum Mutat. 2005 Aug;26(2):165.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/16010686>
- Nilsson MI, Laureano ML, Saeed M, Tarnopolsky MA. Dysferlin aggregation in limb-girdle muscular dystrophy type 2B/Miyoshi Myopathy necessitates mutational screen for diagnosis [corrected]. Muscle Nerve. 2013 May;47(5):740-7. doi: 10.1002/mus.23666. Epub 2013 Mar 21. Erratum in: Muscle Nerve. 2013 Aug;48(2):310.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23519732>
- Penttilä S, Palmio J, Suominen T, Raheem O, Evilä A, Muelas Gomez N, Tasca G, Waddell LB, Clarke NF, Barboi A, Hackman P, Udd B. Eight new mutations and the expanding phenotype variability in muscular dystrophy caused by ANO5. Neurology. 2012 Mar 20;78(12):897-903. doi: 10.1212/WNL.0b013e31824c4682. Epub 2012 Mar 7. Erratum in: Neurology. 2013 Jan 8;80(2):226.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22402862>

- Takahashi T, Aoki M, Tateyama M, Kondo E, Mizuno T, Onodera Y, Takano R, Kawai H, Kamakura K, Mochizuki H, Shizuka-Ikeda M, Nakagawa M, Yoshida Y, Akanuma J, Hoshino K, Saito H, Nishizawa M, Kato S, Saito K, Miyachi T, Yamashita H, Kawai M, Matsumura T, Kuzuhara S, Ibi T, Sahashi K, Nakai H, Kohnosu T, Nonaka I, Arahata K, Brown RH Jr, Saito H, Itoyama Y. Dysferlin mutations in Japanese Miyoshi myopathy: relationship to phenotype. *Neurology*. 2003 Jun 10; 60(11):1799-804.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/12796534>
- Witting N, Duno M, Petri H, Krag T, Bundgaard H, Kober L, Vissing J. Anoctamin 5 muscular dystrophy in Denmark: prevalence, genotypes, phenotypes, cardiac findings, and muscle protein expression. *J Neurol*. 2013 Aug;260(8):2084-93. doi: 10.1007/s00415-013-6934-y. Epub 2013 May 14.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23670307>

Reprinted from Genetics Home Reference:
<https://ghr.nlm.nih.gov/condition/miyoshi-myopathy>

Reviewed: December 2016
Published: March 21, 2017

Lister Hill National Center for Biomedical Communications
U.S. National Library of Medicine
National Institutes of Health
Department of Health & Human Services